



American Dynamics
From Tyco Security Products

KNOWLEDGE

Applies To: ADCi625 PTZ

Article ID: AD-KB-000030

Version:

Published: 09/18/2014

Illustra 625 PTZ Simulated Menus

The following article provides simulated menus for the Illustra 625 PTZ camera as reference when the actual equipment may not be available.

If you have any questions regarding this Knowledge Article, please contact American Dynamics Technical Support.
North America: (800) 507-6268;

Latin America and Caribbean: http://www.americandynamics.net/Support/contact_technical_support.aspx

Europe, Middle East and Africa: http://www.americandynamics.net/Support/contact_technical_support.aspx

Asia Pacific: http://www.americandynamics.net/Support/contact_technical_support.aspx

Information provided by American Dynamics is believed to be accurate and reliable. However, no responsibility is assumed by American Dynamics for its use, nor any infringements of other rights of third parties which may result from its use. No license is granted by implications or otherwise under any patent rights of American Dynamics.

PLEASE NOTE: If you would like to unsubscribe from receiving electronic communications from Tyco Security Products, you can do so by emailing TSPOptOUT@tycoint.com. Contact us at tspinfo@tycoint.com or by writing to: Sales Support Team, Tyco Security Products, 3301 Langstaff Road, Concord, ON L4K 4L2 for more information regarding this request. Si vous souhaitez vous désabonner et ne plus recevoir de communications électroniques de la part de Tyco Security Products, nous vous prions d'envoyer un courriel à TSPOptOUT@tycoint.com. Vous pouvez également nous joindre à l'adresse tspinfo@tycoint.com ou en nous écrivant à l'adresse: Sales Support Team, Tyco Security Products, 3301 Langstaff Road, Concord, ON L4K 4L2 pour obtenir plus d'informations concernant cette requête

American Dynamics

6 Technology Park Drive • Westford, MA 1886 USA

Tele: 978 577 4000 • Fax: 978 578 4392

www.americandynamics.net



View

● Picture Settings

Presets

Patterns

Privacy Zones

Scans

Programs

Camera Configuration

Networking

Information

Groupings

View

Programs

Camera Configuration

Networking

Information

White Balance 

Picture Balance

Focus/Iris


WDR

IR/DayNight

Shutter Limit

Picture Settings

Auto White Balance



20%



View

● Picture Settings

Presets

Patterns

Privacy Zones

Scans

Programs

Camera Configuration

Networking

Information

White Balance

Picture Balance 

Focus/Iris

WDR

IR/DayNight

Shutter Limit

Picture Settings

Brightness

50%


Contrast



50%

Saturation

50%

Defaults



20%  

View

● Picture Settings

- Presets
- Patterns
- Privacy Zones
- Scans

Programs

Camera Configuration

Networking

Information

White Balance

Picture Balance

Focus/Iris

WDR 

IR/DayNight

Shutter Limit

Picture Settings

WDR



20%



View

Picture Settings

● Presets

Patterns

Privacy Zones

Scans















Programs

Camera Configuration





Networking


Information


Presets 

#	Name	View	Edit	Delete
1	1			
2	3			
3				
4				
5				
6				
7				
8				
9				
10				

Total Presets = 2



20% 

View

Picture Settings

Presets

Patterns

● Privacy Zones

Scans

Programs

Camera Configuration

Networking

Information

Privacy Zones 

Add Zone

#	Name	Enabled	View	<input type="checkbox"/>
1				
2				
3				
4				
5				
6				
7				
8				


Total Privacy Zones = 0





20%





View

Programs

Camera Configuration

- PTZ
- OSD
- Video
- Home

Networking

Information

Flip 

Freeze Frame

Return Settings

Set North

Automatic Flip



20%



View

Programs

Camera Configuration


- PTZ
- OSD
- Video
- Home




Networking

Information

Flip Freeze Frame Return Settings  Set North

- Return to Auto Focus
- Return to Auto Iris
- Return to Previous



20%   

View

Picture Settings

Presets

Patterns

Privacy Zones

● Scans

Programs

Camera Configuration

Networking

Information

Scans

Scan Limits 

Left : 0

Set Left

Right : 359

Set Right

Defaults



20%



View

Picture Settings

Presets

Patterns

Privacy Zones

● Scans

Programs




Camera Configuration

Networking

Information

Scans 

Scan Limits

Name	View
smooth	
stepped	
random	



View

Scheduled Tasks 

Add Task

Programs

Sequences

● Scheduled Tasks

Areas

Camera Configuration

Networking

Information

#	Name	Action	Parameter	Time	week days	days of month	Edit	<input type="checkbox"/>
---	------	--------	-----------	------	-----------	---------------	------	--------------------------

Total Tasks = 0

View

Programs

● Sequences

Scheduled Tasks

Areas

Camera Configuration

Networking

Information

Sequences 

Add Sequence

#	Name	View	Edit	Delete
1				
2				
3				
4				
5				
6				
7				
8				

Total Sequences = 0

 20%  

View

Programs

Camera Configuration

- PTZ
- OSD
- Video
- Home

Networking

Information

Flip

Freeze Frame

Return Settings

Set North 

Set North Position

Set North



20%



View

● Picture Settings

Presets

Patterns

Privacy Zones

Scans

Programs

Camera Configuration

Networking

Information

White Balance

Picture Balance

Focus/Iris

WDR

IR/DayNight

Shutter Limit 

Picture Settings

AGC/Shutter Setting

openshutter 

Shutter Speed

- 1/2
- 1/4
- 1/8
- 1/15
- 1/30

Max Gain

37



20%



View

● Picture Settings

Presets

Patterns

Privacy Zones

Scans

Programs

Camera Configuration

Networking

Information

White Balance

Picture Balance

Focus/Iris

WDR

IR/DayNight


Shutter Limit 

Picture Settings

AGC/Shutter Setting


openshutter 

Shutter Speed

1/2 

Max Gain

37



View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

Users

● SMTP

FTP

Firewall

Maintenance

Advanced Settings

Information

SMTP 

Mail Server

Server Port

From Address

Send Email to

Use authentication to log on to server

Apply



View

Programs

- Sequences
- Scheduled Tasks
- Areas

Camera Configuration

Networking

Information


Sequences




Add Sequence 

Sequence Name

Preset Name	Dwell Time (secs)	Edit	Delete
1 	<input type="text"/>	Add	

Apply



20%   

View

Programs

Sequences

● **Scheduled Tasks**

Areas

Camera Configuration

Networking

Information

Scheduled Tasks

Add Task 

Name

Start Time (HH:MM)

Task Frequency

every day week days days of month

Action

preset pattern sequence scan none

Apply

View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

● **Users**

SMTP

FTP

Firewall

Maintenance

Advanced Settings

Information

Users

Add User 

Change Password

Name

Role

admin
operator
user

Password

Confirm Password

Apply



20%



View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

● **Users**

SMTP

FTP

Firewall

Maintenance

Advanced Settings

Information

Users

Add User 

Change Password

Name

Role

Password

Confirm Password

Apply



20%



View

Picture Settings

Presets

Patterns

● Privacy Zones

Scans

Programs

Camera Configuration

Networking

Information

Privacy Zones

Add Zone 

Privacy Zone Name

Draw



20%



View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

Users

SMTP

FTP

Firewall

Maintenance

● **Advanced Settings**

Information

Camera Name

Session Timeout

Remote Access

Dynamic DNS 

Service Enable

Camera Alias

Service Provider


 




Username

Password

Service Data

Apply



20%   

View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

Users

SMTP

FTP

Firewall

Maintenance

● **Advanced Settings**

Information

Camera Name 

Session Timeout

Remote Access

Dynamic DNS

Camera Friendly Name

i625ptz-651A1321172209



20%



View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

Users

SMTP

FTP

Firewall

Maintenance

● **Advanced Settings**

Information

Camera Name

Session Timeout

Remote Access 

Dynamic DNS


SSH Enable



ONVIF Discovery Mode



ONVIF User Authentication



View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

Users

SMTP

FTP

Firewall

Maintenance

● **Advanced Settings**

Information

Camera Name

Session Timeout 

Remote Access

Dynamic DNS

Session Timeout (mins)

60



20%



View

● Picture Settings

- Presets
- Patterns
- Privacy Zones
- Scans

Programs

Camera Configuration

Networking

Information

White Balance

Picture Balance

Focus/Iris

WDR

IR/DayNight


Shutter Limit 

Picture Settings

AGC/Shutter Setting

- AGC off
- AGC on
- openshutter**

Shutter Speed

1/2 

Max Gain

37



20%



View

Programs

Sequences

Scheduled Tasks









● Areas

Camera Configuration

Networking

Information

Areas

#	Name	Left	Right	Edit	<input type="checkbox"/>
1					
2					
3					
4					
5					
6					
7					
8					

Total Areas = 0

  **1**   



20%



View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

Users

SMTP

FTP

Firewall

● **Maintenance**

Advanced Settings

Information

Backup/Restore 

Camera Upgrade

HTTPS Certificate

Reboot

Reset

Save camera data

Backup

Select saved data file

Browse

Upload



20%



View

Programs

Camera Configuration

● PTZ

OSD

Video

Home

Networking

Information


Flip 

Freeze Frame

Return Settings

Set North

Automatic Flip



20%



Camera Configuration

PTZ

Flip

Zoom Stops

Freeze Frame

Return Settings

Set North

OSD

Name

Status

Dome Names

Time/Direction Indicators

Text Attributes

Video

Stream 1

Stream 2

Alarm Video

Audio

Audio Input

Audio Out

Stored Audio

Upload Audio

Home

Home Position

View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

● **Users**

SMTP

FTP

Firewall

Maintenance

Advanced Settings

Information

Users

Add User

Change Password 

Name

admin 

Current Password

New Password

Confirm New Password

Apply



20%



View

Programs

Camera Configuration

Networking

TCP/IP

● **Date Time**

Users

SMTP

FTP

Firewall

Maintenance


Advanced Settings

Information

Date Time 

Camera Time 12/19/2013 15:01:30

Time 24-hour

Date Display Format MM/DD/YYYY 

Time Zone (GMT-05:00) Eastern Time (US and Canada) 

Set Time Manually via NTP

NTP Server Name 192.168.100.26

Apply



View

● Picture Settings

- Presets
- Patterns
- Privacy Zones
- Scans

Programs

Camera Configuration

Networking

Information

White Balance

Picture Balance

Focus/Iris

WDR

IR/DayNight 

Shutter Limit

Picture Settings

IR Mode

visible 

off

on

autolow

automid

autohigh

Day Night Mode



20%



View

Programs

Camera Configuration

Networking

Information

Model

Statistics

Environmental

Logs

● **Current Faults**

Current Faults 

#	Fault	Date created	Component	Severity	Detail	<input type="checkbox"/>
25	DiskUsageAlarm	Sun Nov 11 12:52:38 EST 2012	SYSM	Critical	DiskUsage="Disk use is 76% on /var"	<input type="checkbox"/>
26	DiskUsageAlarm	Sat Nov 17 16:34:06 EST 2012	SYSM	Critical	DiskUsage="Disk use is 85% on /var"	<input type="checkbox"/>
27	DiskUsageAlarm	Sat Nov 17 16:34:07 EST 2012	SYSM	Critical	DiskUsage="Disk use is 85% on /opt/ad/etc"	<input type="checkbox"/>
28	DiskUsageAlarm	Sat Nov 17 16:43:53 EST 2012	SYSM	Critical	DiskUsage="Disk use is 85% on /var"	<input type="checkbox"/>
29	DiskUsageAlarm	Sat Nov 17 16:43:54 EST 2012	SYSM	Critical	DiskUsage="Disk use is 85% on /opt/ad/etc"	<input type="checkbox"/>
30	DiskUsageAlarm	Tue Nov 20 16:49:06 EST 2012	SYSM	Critical	DiskUsage="Disk use is 85% on /var"	<input type="checkbox"/>
31	DiskUsageAlarm	Wed Nov 21 17:46:30 EST 2012	SYSM	Critical	DiskUsage="Disk use is 85% on /var"	<input type="checkbox"/>
32	DiskUsageAlarm	Wed Nov 21 19:29:45 EST 2012	SYSM	Critical	DiskUsage="Disk use is 85% on /var"	<input type="checkbox"/>

Total Faults = 36

[Delete](#)

View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

Users

SMTP

FTP

● **Firewall**

Maintenance

Advanced Settings

Information

Basic Filtering

Address Filtering 

Address Filtering

Apply



20%



View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

Users

SMTP

FTP

● **Firewall**

Maintenance

Advanced Settings

Information

Basic Filtering 

Address Filtering

ICMP Blocking

RP Filtering

SYN Cookie Verification



20%



View

● Picture Settings

- Presets
- Patterns
- Privacy Zones
- Scans

Programs

Camera Configuration

Networking

Information

White Balance

Picture Balance

Focus/Iris 

WDR

IR/DayNight

Shutter Limit

Picture Settings

Auto Focus



Auto Iris



20%



View

Programs

Camera Configuration

- PTZ
- OSD
- Video
- Home

Networking

Information

Flip

Freeze Frame 

Return Settings

Set North

Freeze Frame



20%



View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

Users

SMTP

● **FTP**

Firewall

Maintenance

Advanced Settings

Information

FTP 

FTP Server

FTP Port

Use authentication to log on to server

Apply



20%



View

Programs

Camera Configuration

PTZ

OSD

Video

● Home

Networking

Information

Home Position 

Home Position Type

preset
pattern
sequence
scan
none

Apply



20%



View

Programs

Camera Configuration

PTZ

OSD

Video

● Home

Networking

Information

Home Position 

Home Position Type

none 

Apply



20%



View

Programs

Camera Configuration

Networking

Information

Model

Statistics

● Environmental

Logs

Current Faults

Environmental 

Internal Temperature (°C) 37 C

Blower OFF

Heater OFF

Firmware Version 0.123



20%



View

Programs

Camera Configuration

Networking

Information

● Model

Statistics

Environmental

Logs

Current Faults

Model 

Camera Name	i625ptz-651A1321172209
Model	illustra 625 PTZ
Product Code	ADCi625-P132
Manufacturing Date	31-05-2013
Serial Number	651A1321172209
MAC Address	00:17:EB:D7:B7:68
Firmware Version	1.0.2.A4914AA929
Hardware Version	A0



View

Programs

Camera Configuration

Networking

Information

Model

● **Statistics**

Environmental

Logs

Current Faults

[General Information](#) 

PTZ Summary

Operating Time (days-hrs:mins) 77-10:52

Uptime (days-hrs:mins) 10-1:27

User Resets 6

Power Resets 12

Total ROM (MByte) 256.00

Total RAM (MByte) 570.76

Free RAM (MByte) 397.51



20%



View

Programs

Camera Configuration

Networking

Information

Model

● **Statistics**

Environmental

Logs


Current Faults

General Information

PTZ Summary 

Name	Total Time (HH:MM:SS)	Count
Pan Rights	76:38:43	254352
Pan Lefts	0:14:41	246
Tilt Down	11:14:19	259445
Tilt Up	0:01:58	376
Zoom Out	0:01:27	77
Zoom In	80:28:15	311797





View

● Picture Settings

Presets

Patterns

Privacy Zones

Scans

Programs

Camera Configuration

Networking

Information

White Balance

Picture Balance

Focus/Iris

WDR

IR/DayNight 

Shutter Limit

Picture Settings

IR Mode

visible 

Day Night Mode

autolow 



20%



View

● Picture Settings

- Presets
- Patterns
- Privacy Zones
- Scans

Programs

Camera Configuration

Networking

Information

White Balance

Picture Balance

Focus/Iris

WDR

IR/DayNight 

Shutter Limit

Picture Settings

IR Mode

Day Night Mode

visible
850nm
950nm
auto



20%



View

Programs

Camera Configuration

Networking

Information

Model

Statistics

Environmental

● **Logs**

Current Faults

System Log

Boot Log 

```
PM: Adding info for No Bus:ram15  
brd: module loaded  
PM: Adding info for No Bus:7:0  
PM: Adding info for No Bus:loop0  
PM: Adding info for No Bus:7:1  
PM: Adding info for No Bus:loop1  
PM: Adding info for No Bus:7:2  
PM: Adding info for No Bus:loop2  
PM: Adding info for No Bus:7:3  
PM: Adding info for No Bus:loop3  
PM: Adding info for No Bus:7:4  
PM: Adding info for No Bus:loop4  
PM: Adding info for No Bus:7:5  
PM: Adding info for No Bus:loop5  
PM: Adding info for No Bus:7:6  
PM: Adding info for No Bus:loop6  
PM: Adding info for No Bus:7:7  
PM: Adding info for No Bus:loop7
```

Lines (from the end of the log file)

Filter (only lines containing text)

Refresh

View

Programs

Camera Configuration

Networking

Information

Model

Statistics

Environmental

● **Logs**

Current Faults

System Log 

Boot Log

```
Dec 19 07:35:01 i625ptz-651A1321172209 cron.info crond[296]: crond: USER root pid 5530 cmd /sbin/logrotate.sh
Dec 19 07:40:01 i625ptz-651A1321172209 cron.info crond[296]: crond: USER root pid 5902 cmd /sbin/logrotate.sh
Dec 19 07:45:01 i625ptz-651A1321172209 cron.info crond[296]: crond: USER root pid 6274 cmd /sbin/logrotate.sh
Dec 19 07:50:01 i625ptz-651A1321172209 cron.info crond[296]: crond: USER root pid 6646 cmd /sbin/logrotate.sh
Dec 19 07:55:01 i625ptz-651A1321172209 cron.info crond[296]: crond: USER root pid 7017 cmd /sbin/logrotate.sh
Dec 19 08:00:01 i625ptz-651A1321172209 cron.info crond[296]: crond: USER root pid 7389 cmd /sbin/logrotate.sh
Dec 19 08:00:45 i625ptz-651A1321172209 user.info COREMON[312]: info (corehealthmonitor.c:313) Thu Dec 19 2013 08:00:45.292297: Ping Reply Received
[VideoPingResponderSBQueue]: RoundTrip=0.000534 seconds, idle kick=842410
Dec 19 08:00:45 i625ptz-651A1321172209 user.info COREMON[312]: info (corehealthmonitor.c:313) Thu Dec 19 2013 08:00:45.292516: Ping Reply Received
[VpssPingResponderSBQueue]: RoundTrip=0.000946 seconds, idle kick=842408
Dec 19 08:00:45 i625ptz-651A1321172209 user.info COREMON[312]: info (corehealthmonitor.c:313) Thu Dec 19 2013 08:00:45.294665: Ping Reply Received
[DspPingResponderSBQueue]: RoundTrip=0.002984 seconds, idle kick=814475
Dec 19 08:01:01 i625ptz-651A1321172209 cron.info crond[296]: crond: USER root pid 7473 cmd /opt/ad/sbin/ntpcheck
Dec 19 08:01:09 i625ptz-651A1321172209 user.notice ntpcheck: ntp sync event successful
Dec 19 08:01:09 i625ptz-651A1321172209 user.notice ntpcheck: hwclock synced to system clock
Dec 19 08:05:01 i625ptz-651A1321172209 cron.info crond[296]: crond: USER root pid 7773 cmd /sbin/logrotate.sh
Dec 19 08:10:01 i625ptz-651A1321172209 cron.info crond[296]: crond: USER root pid 8146 cmd /sbin/logrotate.sh
Dec 19 08:15:01 i625ptz-651A1321172209 cron.info crond[296]: crond: USER root pid 8518 cmd /sbin/logrotate.sh
```

Lines (from the end of the log file)

Filter (only lines containing text)

Refresh

View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

Users

SMTP

FTP

Firewall

● **Maintenance**

Advanced Settings

Information

Backup/Restore

Camera Upgrade

HTTPS Certificate 

Reboot

Reset

Select certificate file

Browse

Upload

Delete current certificate

Delete



20%



View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

Users

SMTP

FTP

Firewall

● **Maintenance**

Advanced Settings

Information

Backup/Restore

Camera Upgrade

HTTPS Certificate

Reboot 


Reset

Reboot

Reboot






- View
- Programs
- Camera Configuration
- Networking**
 - TCP/IP
 - Date Time
 - Users
 - SMTP
 - FTP
 - Firewall
 - **Maintenance**
 - Advanced Settings
- Information

Backup/Restore **Camera Upgrade** **HTTPS Certificate** **Reboot** **Reset** 

Preserve network settings

Preserve presets, patterns and sequences

Reset

 20%  

View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

Users

SMTP

FTP

Firewall

● **Maintenance**

Advanced Settings

Information

Backup/Restore

Camera Upgrade 

HTTPS Certificate

Reboot

Reset

Select firmware image file

Browse

Upload



20%



View

Programs

Camera Configuration

Networking

● TCP/IP

Date Time

Users

SMTP

FTP

Firewall

Maintenance

Advanced Settings

Information

IPv4 

IPv6

Enable DHCP

IPv4 Address

192.168.100.195

Network Mask

255.255.255.0

Gateway

Primary DNS Server

Secondary DNS Server

Apply



20%



View

Programs

Camera Configuration

Networking

• TCP/IP

Date Time

Users

SMTP

FTP

Firewall

Maintenance

Advanced Settings

Information

IPv4

IPv6 

IPv6 Enable




Current IPv6 Addresses

fe80::217:ebff:fed7:b768



20%





View

Programs

Camera Configuration

PTZ

● OSD

Video

Home

Networking

Information

Name 

Time

Text Attributes

Camera Name



20%



View

Programs

Camera Configuration

- PTZ
- OSD
- Video
- Home

Networking

Information

Name

Time 

Text Attributes

Time



20%



View

Picture Settings

Presets

● **Patterns**

Privacy Zones

Scans

Programs

Camera Configuration

Networking

Information

Patterns

Record 

Repeat

Pattern Name

Start



20%



View

Picture Settings

Presets

● Patterns

Privacy Zones

Scans

Programs

Camera Configuration

Networking

Information

Patterns

Record

Repeat 

Repeat Pattern



20%



View

- Picture Settings
- Presets
- Patterns**
- Privacy Zones
- Scans

- Programs

- Camera Configuration








- Networking

- Information

Patterns 


Record




Repeat

#	Name	View	Delete
1	apple peel		
2	hallsweep		
3	nozoomsweep		
4	osd		
5			
6			
7			
8			
9			
10			

Total Patterns = 4

  **1**  



 20%  

View

● Picture Settings

Presets

Patterns

Privacy Zones

Scans

Programs

Camera Configuration

Networking

Information

White Balance

Picture Balance

Focus/Iris

WDR

IR/DayNight

Shutter Limit

Picture Settings 

Save picture settings

Save

Restore factory settings

Defaults



20%



View

Programs

Camera Configuration

PTZ

● OSD

Video

Home

Networking

Information

Name

Time

Text Attributes 

Translucent



20%



View

Programs

Camera Configuration

Networking

TCP/IP

Date Time

● **Users**

SMTP

FTP

Firewall

Maintenance

Advanced Settings

Information

Users 

Add User

Change Password

Logon Name	Role	Delete
admin	admin	



View

Programs

Camera Configuration

PTZ

OSD

● Video

Home

Networking

Information

Stream 1

Stream 2 

Codec

H264 MJPEG

Resolution

(960x540) - qHD 

Frame Rate (ips)

30



Rate Control

VBR CBR

VBR Quality

High 



20%



View

Programs

Camera Configuration

PTZ

OSD

● Video

Home

Networking

Information


Stream 1 

Stream 2

Codec

H264 MJPEG

Resolution

(1280x720) -720p 

Frame Rate (ips)

5

Rate Control

VBR CBR

VBR Quality

High 



20%



